CP-056 - Safety Relay



Product Code: CP-056

Weight: 0.00kg

Dimensions: 0.00cm x 0.00cm x 0.00cm

Description

CP- 056 Safety Relay Unit for Emergency Switches

G9SB is a family of slender safety relay units, providing two safety contacts in a 17.5mm- and three safety contacts in a 22.5mm-wide housing.

- 17.5mm- and 22.5mm-wide housing
- 1- and 2-input channel units
- Manual and automatic reset units
- Certification up to PLe according to EN ISO 13849-1 depending on the application

Equipment Reference

EVO 3 IP Ref. KA1

Easy to Plate EVO 3 IP D Ref. KA1
Easy to Plate EVO 3 IP I Ref. KA1
·
EVO 4 DLF Ref. KA4
EVO 5 DLF Ref. KA4
EVO 5 BP Ref. KA1
Easy to Plate EVO 5 BP D Ref. KA1
Easy to Plate EVO 5 BP I Ref. KA1
Easy to Trace E v o 3 BT Tree. In I
620 Ref KA1, KA2, KA4, KA6, KA8, KA10, KA12
621 Ref KA1 , KA2 , KA4 , KA6 , KA8 , KA10
021 Rel IXAI, IXA2, IXA4, IXAO, IXAIO
830 Ref KA1, KA2, KA4, KA6, KA8, KA10, KA12, KA14
Specification
Suitable for the following equipment models:
CLASSIC 3 P CLASSIC 4 P
EASY TO PLATE EVO 3
IPD

EASY TO PLATE EVO 3
IPI PI
EASY TO PLATE EVO 4
IPD
EASY TO PLATE EVO 4
IPI
EASY TO PLATE EVO 5
BPD
EASY TO PLATE EVO 5
BPI
EASY TO PLATE EVO 5
IPD
EASY TO PLATE EVO 5
IPI PI
EVO 3 EDLF
EVO 3 ELF
EVO 3 IP
EVO 4 E
EVO 4 EDLF
EVO 4 ELF
EVO 4 IP
EVO 5 BP
EVO 5 E
EVO 5 ELF
EVO 5 IP
Spare Part Type
Electrical Component
Spare Part Group
Contactor
Stock Type
Standard Stock