
## CG-002 - Safety Thermostat



**Spare Part Number:** CG-002

Net Weight: 0.00kg

Net Dimensions: 0.00cm x 0.00cm x 0.00cm

**Description** 

## **CG-002 Safety Thermostat**

Single phase electro-mechanical limit thermostat with fluid filled bulb to respond quickly to change in temperature. When temperature rises above a pre-set temperature the bulb fluid expands via the capillary tube to a diaphragm which open or close an electrical contact. When temperature descended back below operation temp, it automatically returns to its initial setting.

Safety thermostat  $100^{\circ}\text{C}$ .

**Equipment Ref** 

----

EVO2A Ref.

EVO 3A Ref.

CLASSIC 3P Ref. TH1

EVO 3 EDLF Ref. TH1, TH2

EVO 3 IP Ref. THS (processor), TH1-4 (dryer)

Easy to Plate EVO 3 IP D Ref. THS (processor), TH1-4 (dryer)

Easy to Plate EVO 3 iP I Ref. THS (processor), TH1-4 (dryer)

EVO 4 IP Ref. THS (processor), TH1-4 (dryer)

Easy to Plate EVO 4 IP D Ref. THS (processor), TH1-4 (dryer)

Easy to Plate EVO 4 iP I Ref. THS (processor), TH1-4 (dryer)

EVO 5 IP Ref. **THS** (processor), **TH1-4** (dryer)

Easy to Plate EVO 5 IP D Ref. THS (processor), TH1-4 (dryer)

Easy to Plate EVO 5 iP I Ref. THS (processor), TH1-4 (dryer)

EVO 5 BP Ref. THS (processor), TH1-4 (dryer)

Easy to Plate EVO 5 BP D Ref. THS (processor), TH1-4 (dryer)

Easy to Plate EVO 5 BP I Ref. THS (processor), TH1-4 (dryer)

| 611 | Ref | TH1 |
|-----|-----|-----|
| 620 | Ref | TH1 |

610 Ref **TH1** 

621 Ref **TH1** 

830 Ref **TH1** 

## Catalogues/Families

| Suitable for the following equipment models: |  |  |
|--|--|--|
| CLASSIC 3 P                                  |  |  |
| CLASSIC 4 P                                  |  |  |
| EASY TO PLATE EVO 3                          |  |  |
| IPD  |  |  |
| EASY TO PLATE EVO 3                          |  |  |
| IPD  |  |  |
| EASY TO PLATE EVO 4                          |  |  |
| IPD  |  |  |
| EASY TO PLATE EVO 4                          |  |  |
| IPI  |  |  |
| EASY TO PLATE EVO 5                          |  |  |
| BPD  |  |  |
| EASY TO PLATE EVO 5                          |  |  |
| BPI  |  |  |
| EASY TO PLATE EVO 5                          |  |  |
| IPD  |  |  |
| EASY TO PLATE EVO 5                          |  |  |
| IPI  |  |  |
| EVO 2 A                                      |  |  |
| EVO 3 A                                      |  |  |
| EVO 3 EDLF                                   |  |  |
| EVO 3 ELF                                    |  |  |
| EVO 3 IP<br>EVO 4 D                          |  |  |
| EVO 4 D<br>EVO 4 DLF                         |  |  |
|  |  |  |
| EVO 4 EDLF<br>EVO 4 IP                       |  |  |
| EVU 4 IP                                     |  |  |

| EVO 5 BP             |  |
|----------------------|--|
| EVO 5 D              |  |
| EVO 5 DLF            |  |
| EVO 5 IP             |  |
| Spare Part Type      |  |
| Electrical Component |  |
| Spare Part Group     |  |
| Sensor               |  |
| Stock Type           |  |
| Standard Stock       |  |

## **Product Gallery**

